FIG. 1

COPYRIGHTED MATERIAL

USAGE RULE ENCRYPTION KEY PLAIN TEXT DATA ENCRYPTED DATA COPY CONTROL INFORMATION NUMBER OF PERMITTED CHECK-OUTS MOVE CONTROL INFORMATION (MCI)

NAVIGATION (PLAYBACK CONTROL) INFORMATION

JPEG STILL PICTURE DATA

MPEG-AAC,MP3 AUDIO DATA

FIG. 2A

RECORDING MEDIUM



※NO ENCRYPTION KEY SO DEVICE HAVING THIS RECORDING MEDIUM CANNOT PLAY BACK COPYRIGHTED MATERIAL

FIG. 2B

RECORDING MEDIUM




**HAS AN ENCRYPTION KEY, SO DEVICE HAVING THIS RECORDING MEDIUM CAN PLAY BACK COPYRIGHTED MATERIAL

NO USAGE RULE, SO COPYRIGHTED MATERIAL CANNOT BE RECORDED TO ANOTHER RECORDING MEDIUM


FIG. 2C

RECORDING MEDIUM





%HAS AN ENCRYPTION KEY, SO DEVICE HAVING THIS RECORDING MEDIUM CAN PLAY BACK COPYRIGHTED MATERIAL


HAS A USAGE RULE, SO COPYRIGHTED MATERIAL CAN BE RECORDED ON ANOTHER RECORDING MEDIUM





ζ;





















FIG. 12



AOBXXX.SA1 AOB FILE 8.4min invalid Area invalid Area, AOB AOB_BLOCK 2.0sec AOB_ELEMENT 20msec AOB_FRAME

FIG. 13







FIG. 15






`

?









FIG. 20



PROMOTION IMAGE FOR Track D POB 003. SP3 POB 003 TKL POB_SRP||TKL POB_SRP|||TKL POB_SRP|||TKL POB_SRP|||TKL POB_SRP|||TKL POB_SRP|||TKL POB_SRP|||TKL POB_SRP| **TKI#8** TKI#7 PROMOTION IMAGE FOR Track C POB 002. SP2 POB 002 TKI#6 TKI#5 FIG. 21 TK1#4 PROMOTION IMAGE FOR Track B POB 001. SP1 TKI#2 | TKI#3 | POB 001 TKI#1 TKMG

FIG. 22





FIG. 23A



Secure Track Information(S_TKI)


Secure Track General Information (S_TKGI) (Mandatory)

Secure Track Text Information Data Area (S_TKTXTI_DA) (Mandatory)


FIG. 24


• • • • • • • • • • • • • • • • • • • •	S_TKI_ID	S_TKI Identifier
	S_TKIN	S_TKI Number
-	S_TKI_BLK_ATR	Block Attribute of S_TKI
-	S_TKI_LNK_ATR	Link Pointer to next S_TKI
	S_TKI_SZ	Size of S_TKI
	S_TKI_PB_TM	Playback time of Track
	S_TKI_AOB_ATR	Audio Attribute of S_TKI
	reserved	reserved
	S_TKI_POB_ATR	Picture Attribute of TKI
	reserved	reserved
	reserved	Reserved for copyright management Information
	reserved	reserved
	S_TKI_T11_ATR	Attribute of Text1
	S_TKI_T12_ATR	Attribute of Text2
	reserved	reserved
	S_TKI_ISRC	ISRC code
	S_TKI_APP_ATR	S_TKI application attributes
	reserved	reserved
	S_TKI_FR_ID1	Free ID Area of S_TKI
	S_TKI_FR_ID2	Free ID Area of S_TKI
	S_TKI_FR_ID3	Free ID Area of S_TKI
	S_TKI_FR_ID4	Free ID Area of S_TKI
	reserved	reserved
->	S TKI POB SRP	S_TKI_POB Search Pointers(4B*20)

FIG. 25



/ FIG. 26










FIG. 29


AOBSA1.KEY Titl

Title Key Entry

$\angle \angle A$			i i	
V / V			1	
V / V		ì I		
\prime \prime \prime				
		1 1		
//		l 1		
<i>\\</i>				
V / A				
1 / /				
/ $/$ $/$				1
/ / Y			1	
		1 1		
// /				
V / V				1
$ \setminus \setminus $				
V / V				
$1 \setminus 1$		1 1		
V / V	ļ	i I	1	
	ł	1		
V / V	1	t l		1 1
$ \setminus \setminus $				
V / V				
$ \setminus \setminus $		1		
$\backslash \backslash \backslash$	1	1]
	!			
$\backslash \backslash \backslash$		1		
$I \setminus I$		[
V / A				i
1 / /	l			1 !
V / A	t			I I
$I \setminus I$		1		
$\backslash \backslash \backslash \backslash$				
/-«				Content ID
$\sqrt{2}$				ا با
		I		=
	i	1	1	ادة
アギバ		i		_ _ _
		1		
I / I		I	1	\sim
$1 \setminus 1$				(3
V / V	İ		B .	$\overline{}$
$1 \setminus 1$		1		
V / V		1		
$1 \setminus 1$				
V / V				
$1 \setminus 1$			ı	1
V / V				l .
$1 \setminus 1$		i		
V / V				
$1 \setminus 1$		1		l
V / V	1	1		1
$1 \setminus 1$		i .		1
V / A		•		
$I \setminus I$		1		1
V / A	l	1	•	1
1//		I	I	1
$N \setminus Y$		l .		1
I / I		i		1
$I \setminus I$				
r / /			I	I
1//1		ტე	1	l
r / r		l \widetilde{e}		I
1//1		1		I
V / V		1 4		1
1//1		I >		I
V / V		'بـــا		I
$1 \setminus 1$		ı		1
V / V		1 :=	B .	1
$1 \setminus 1$		1 44		1
V / V		<u> </u>	ı	1
$1 \setminus 1$		-	1	1
	T .	رت	I	I
1//		1 >		1
$\langle \langle \rangle \rangle$		Availability flag	1	1
1//		1 7		l
	r		J	















FIG. 32


























		SAME STRUCTURE AS SD-AudioV1.0	PREVIEW-TRIGGER BIT FOR USAGE RULE 1 JUDGE USING ONLY Counter AND Threshold	Threshold NOT PERMITTED (CANNOT BE PLAYED BACK ON VI.1 COMPLIANT DEVICE)	NITIMBER OF PERMITTED PREVIEW	1-255 :RANGE OF INDICATED OF PREVIEWS	THRESHOLD VALUE DETERMINING AT PLAYBACK WHETHER PREVIEW COUNTER HAS BEEN REDUCED BY 1	TAMPERING PREVENTION CHECK VALUE
P_AOBSA1.KEY Extended Title Key Entry	(1111111111111111111111111111111111111	Availability flag	Content ID		WITH FRANK WOUNDER IT IN THE WAR WAS AND A STATE OF THE WAS AND A ST	(1) (1) (1) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	*:-*	




FIG. 45

